Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




62.39

F. W. SCHUMACHER

HORTICULTURIST -- TREE SEEDS

P. O. B. 131

JAMAICA PLAIN 30, MASS.




SEEDS for the NURSERYMAN and FORESTER -- FALL 1947

PRELIMINARY OFFER


For fall and early winter delivery. Final listing of all seeds available from new crops will follow in our general catalogue.

	OZ.	1/4 1b.	1b.
ABIES amabilis	•55	\$1.65	\$5.00
balsamea	.45	1.20	3.50
fraseri	.60	1.65	5.00
grandis	•55	1.65	5.00
magnifica	.50	1.50	4.50
" shastensis	.50	1.50	4.50
nobilis	.70	2.00	6.00
nordmanniana	.60	1.85	5.50
pectinata (alba)	.25	.65	2.00
pinsapo	.40	1.05	3.00
" glauca	.70	2.00	6.00
ACACIA armata	1.25	3.75	
baileyana decurrens	.50 .45	2.00	
" dealbata	.45	1.50	
" mollis (mollissima)	.60	1.80	
longifolia	.70	2.10	6.25
saligna	.55	1.75	
ACER campestre	30	.85	2.50
ginnala	.30	.65	2.00
macrophyllum		.45	1.25
negundo		.35	1.00
pennsylvanicum	.30	•35 •85	2.50
platanoides		•35	1.00
pseudoplatanus		.35	1.00
saccharum	.25	.60	1.75
AILANTHUS glandulosa	0.5	•35	1.00
ALBIZZIA julibrissin	.25	.70	2.10
" a hardy strain (zone 5)	•45	1.00	3.00 3.00
ALNUS incana, clean	•35	1.20	
glutinosa, clean	.45	2.00	3.50 6.00
rubra, clean rugosa, clean	.50	1.50	4.50
AMELANCHIER alnifolia	.30	.75	2.50
canadensis	45	1.35	4.00
grandiflora	.65	2.00	6.00
laevis	.65	2.00	6.00
stolonifera, large fruited type	.55	1.50	4.50
AMORPHA fruticosa	.20	.50	1.50
AMPELOPSIS aconitifolia	.65	2.00	
heterophylla	.65	2.00	
quinquefolia, clean	.30	.85	2.50
tricuspidata, clean	.35	1.00	3.00
ARALIA hispida	.65	2.00	
sinensis	.50	1.50	
spinosa, clean	.50	1.50	4.50
ARCTOSTAPHYLOS uva-ursi, clean	•35	1.00	3.00
ARISTOLOCHIA tomentosa	.30	•75	2.50
ARONIA arbutifolia	.25	.65	2.00
atropurpurea	.25	.50	1.50
melanocarpa	.20	.60	1.75
ASIMINA triloba AZALEA arborescens, N.E. 1/4 oz75	.25	.65	2.00
calendulacea 1/4 oz55	2.25		
calendulacea, select grade, New Englan			
seed 1/4 oz. 1.00	3.00		



	to a large		
AZALEA (cont.) Ghent Hybrids, N.E. 1/4 oz. 3.00 japonica (hardy mollis) from eastern garden strain 1/4 oz. 2.50 kaempferi, N.E. 1/4 oz. 3.00 Hybrids, N.E.	OZ.	1/4 lb.	<u>lb</u> .
1/16 oz. 2.00 mollis 1/4 oz. 1.25 nudiflora 1/4 oz70 poukhanensis, N.E. 1/4 oz. 3.00 rosea, N.E. 1/4 oz. 2.00 schlippenbachi, N.E. 1/4 oz75 simsi 1/16 oz. 1.00 vaseyi, N.E. 1/4 oz50	2.25 1.75		
BENZOIN aestivale	.20	.50 1.20	1.50 3.50
BERBERIS thunbergi, clean "atropurpurea, dried berries BETULA alba (odorata or pubescens) "pendula "clean	1.00 .25 .25	3.00 .65 .65	2.00 2.00 4.50
lenta lutea papyrifera " clean	•35 •35 •35 •50	1.00 1.00 1.00 1.50	3.00 3.00 3.00 4.50
populifolia BIGNONIA radicans BUDDLEIA davidi (variabilis) "true Orange-eye type "from new garden forms 1/4 oz. 1.00	.35 .35 .75 1.50	1.00	3.00 3.00 6.00
CALLICARPA americana	•35	1.00	3.00
dichotoma (purpurea) CALYCANTHUS floridus CARAGANA arborescens CARPINUS caroliniana CASTANEA dentata x sativa crenata	.65 .20 .25 .25	2.00 .50 .75 .75 .50	1.50 2.50 2.25 1.50 1.50
mollissima sativa		1.00	3.00
CATALPA bignonoides speciosa	.15	.40 .60	1.25
CEANOTHUS americanus, clean thyrsiflorus, clean CEDRUS atlantica - winter delivery only	.70 .75 .45	2.35 2.25 1.20	3.50
" argentea " " " " " deodara " " " " " " " " " " " " " " " " " "	.45 .45 .50	1.25 1.20 1.50	3.75 3.50 4.50
CELASTRUS orbiculatus, clean scandens, clean	.50 .50	1.50	4.50
CELTIS mississippiensis occidentalis CEPHALANTHUS occidentalis	.15 .15	.40 .35 .40	1.25 1.00 1.25
CERATONIA siliqua CERCIDIPHYLLUM japonicum, N.E. 1/4 oz50	.25 1.50	•75	2.25
CERCIS canadensis siliquastrum CHAMAECYPARIS lawsoniana	.20 .20 .40	.50 .50 1.15	1.50 1.50 3.50
" aurea, domestic seed " from various garden forms, domestic seed	.85 .85	2.50	
CHIONANTHUS virginicus CINNAMOMUM camphora CITRUS trifoliata CLADRASTIS lutea	.30 .40 .25	.75 1.15 .65 1.00	2.50 3.50 2.00 3.00
CLEMATIS heracleifolia, N.E. 1/4 oz. \$1.00 virginiana CLERODENDRON trichotomum	.50 .75	1.50	4.50
CLETHRA alnifolia COCCULUS carolinus	.25 .30	.75 .65	2.25
COLUTEA arborescens CORNUS alternifolia amomum	.25	.60 .85	1.75 2.50
amomum asperifolia	.20	•50 •75	1.50 2.25

	CORNUS (cont.)	oz.	1/4 lb.	<u>lb</u> .
	controversa florida, Central States, clean	. 70	2.00 •55	1.65
	" New England, clean	.25	.65	2.00
	" Southern seed, clean from Red Flowered specimens	.20	.50 .50	1.50
	kousa chinensis - winter only	.75	2.00	6.00
	mas paniculata	.20 .15	.60 .35	1.75
	stolonifera	.15	•35	1.25
	CORYLOPSIS sinensis 1/4 oz45 CORYLUS americana	1.25 .15	.35	1.25
	avellana	.15	.25	.65 2.00
	" atropurpurea COTONEASTER acutifolia, clean	.65	.65 2.00	2.00
	bullata floribunda dielsiana major	•50 •45	2.00	3.75
	divaricata, clean	•35 •65	1.00	3.00
	foveolata, clean francheti	.65 .35	1.80 1.00	5.50
	horizontalis, clean	.50	1.75	7.00
	integerrima lucida	.65 .50	2.00 1.50	
	microphylla, clean	.60	2.40	
	moupinensis, clean multiflora	.50 .65	1.50 2.00	
	pannosa	.40		
	simonsi, clean zabeli	.85 .50	3.00 1.50	
	CRATAEGUS arkansana	.25	.65	2.00
	arnoldiana, clean coccinea, clean	.40 .30	1.00 •75	3.00 2.25
	coccinioides, clean cordata (phaenopyrum), clean	.30 .35	.75 1.10	2.50
	crus-galli, clean	.25	.65	2.00
	macrantha mollis, clean	.25 .30	.50 .80	2.50
	nitida, clean	.45	1.35	4.00
	oxyacantha, clean monogyna, clean	.25 .25	.50 .45	1.50
	persistens	.25	.65	2.00
	pinnatifolia, clean prunifolia, clean	•35 •30 •25	1.00	2.75
	tomentosa CRYPTOMERIA japonica, European seed	.25 .35	1.00	1.75
4	Oriental "	.50	1.50	4.00
	CUNNINGHAMIA lanceolata CUPRESSUS arizonica	.60 .35	1.65	5.00
	forbesi	1.00	3.00	
	funebris goveniana	•55 •55	1.50 1.65	4.50 5.00
	lusitanica	.35	1.00	3.00
	macnabiana macrocarpa	.60 .50 .65	1.65 1.50	5.00
	" from garden specimens sempervirens horizontalis	.65 .25	1.75 .75	5.50
	" stricta	.25	.75	2.25
	CYDONIA japonica "pygmaea"	•45 •55	1.10	3.25 4.50
	CYTISUS austriacus 1/4 oz65	2.00		
	nigricans, N.E. seed 1/4 oz85 scoparius	2.50	.80	2.50
	" new vari-colored Hybrids			
	1/4 oz. 1.00 supinus	3.00 1.00	3.00	
		.45	1.25	3 75
	DIOSPYROS lotus virginiana	.15	•35	3.75 1.00
	" northern	.20	.50	1.50
	ELEAGNUS angustifolia, clean	.25	.60	2.00
	argentea, clean longipes (multiflora)	.25 .55	.60 1.65	2.00
	umbellata, clean	•45	1.10	3.25
	ENKIANTHUS campanulatus 1/4 oz65	2.00		



ERIOBOTRYA japonica EUCALYPTUS globulus EUONYMUS americanus atropurpureus bungeanus " pendula europaeus, clean grandiflorus planipes (sachalinensis)	oz. 30 .70 .25 .20 .20 .50 .85 .75	1/4 1b75 2.25 .70 .50 .50 1.50 .80 2.50	1b. 2.25 6.75 2.10 1.75 1.75
FIRMIANA simplex FRANKLINIA alatamaha 100 seeds 1.50	.35	1.00	3.00
FRAXINUS americana excelsior lanceolata ornus		.25 .25 .25 .65	.70 .65 .75 2.00
GINKGO biloba GLEDITSIA sinensis triacanthos "inermis GYMNOCLADUS dioicus	.15 .45 .15	•35 1.20 •35 •45 •25	1.00 3.50 1.00 1.15
HALESIA monticola	.30	.85	2.50
tetraptera	.45	1.25 .50	1.50
	1.00	3.00	
virginiana HIBISCUS syriacus HICORIA alba cordiformis glabra laciniosa ovata	.45 .30	1.20 .85	3.50 2.55 2.55 2.55 2.55 2.65 80
pecan, Northern Naturals "large fruited Papershells HIPPOPHAE rhamnoides HOVENIA dulcis	.50 1.00	1.45	.80 4.25
IDESIA polycarpa ILEX aquifolium, clean cornuta, clean glabra laevigata opaca, clean "from its northern range verticillata "clean	25 .40 .650 .35 .50 .55 .45	1.10 2.00 .75 .85 1.00 1.50 .65 1.35	36 25 00 25 00 25 00 25 00 25 00 40 00 40
JUGLANS californica "hindsi cinerea nigra, from wild trees		.20 .20	.50 .50 .25
from named orchard varietiesch Ohio-Stabler- Ten Eyck- Thomas.	oice of		.35
regia JUNIPERUS communis depressa " upright columnar type, clean formosana, clean horizontalis scopulorum " clean virginiana, Southern " Platte River " " clean	.25 .60 .85 .25 .15 .50 .20 .50	.65 1.65 2.50 .65 .30 1.30 .60 .60	2.00 4.75 7.50 2.00 .95 4.00 1.75 4.00
KERRIA japonica KOELREUTERIA paniculata	1.25 1.25 .30 1.00	.80 3.00	2.50

	OZ.	1/4 lb.	<u>lb</u> .
LABURNUM alpinum vulgare LARIX europaea	.30 .30 .55	.80 .80 -1.50	2.50 2.50 4.50
occidentalis LAUROCERASUS caroliniana officinalis LESPEDEZA formosa	.70	2.90 .45 .50 2.00	8.75 1.25 1.50
LEUCOTHOE catesbaei, N. E. seed 1/4 oz45	1.25		
LIGUSTRUM amurense ibota japonicum lucidum nepalense sinensis ("South" Privet) vulgare, clean LIQUIDAMBAR styraciflua LIRIODENDRON tulipifera LONICERA maacki, clean morrowi ruprechtiana tatarica	212000050505555 22223515664	5450 5500 5600 1.4500 1.8800 1.10	1.50 1.50 1.50 1.75 1.75 3.00 4.25 1.25
rosea virginalis (white)	.85 .85	2.50 2.50	
MACLURA pomifera MAGNOLIA acuminata glauca grandiflora tripetala MAHONIA aquifolia, clean nervosa MALUS baccata, dried pomes clean coronaria, clean common, Apple for stock-French Cider Cr. sargenti, dried pomes theifera, dried pomes MENISPERMUM canadense MORUS alba "tatarica MYRICA caroliniensis cerifera NANDINA domestica NYSSA aquatica sylvatica, northern southern	300005500550005500055500055500055500505550055500555005550055500555005555	.40 .790 .60550000500055005 .40 .700 .605500005000500050005000000000000000	122135517932225312 21111
OXYDENDRON arboreum, clean 1/4 oz50	1.50	• 40	1,29
PAULOWNIA tomentosa PHILADELPHUS coronarius garden varieties grandiflorus pubescens	•35 •75 1.00 •80 1.00	1.00 2.35 2.50 3.00	3.00 7.00
purpurascens PHOTINIA serrulata PICEA canadensis (alba or glauca) ** albertiana	1.50 .50	4.50 1.60	4.25
" Black Hills variety engelmanni excelsa, Northern Europe " Central Europe nigra (mariana) **	1.50 1.00 •55 •55	3.00 1.65 1.50	9.00 5.00 4.50
orientalis rubra ** sitchensis	1.75	5.00 3.00	15.00 9.00
PIERIS floribunda, N. E. 1/4 oz50	2.00		

^{** -} prices later - subject to outcome of harvest.

Commission of the Commission o


PIERIS (cont.)	OZ.	1/4 lb.	<u>lb</u> .
japonica 1/4 oz75 mariana, N. E. 1/8 oz. 1.00			7.00
PINUS albicaulis armandi banksiana caribaea contorta " latifolia (murrayana)	.75 .70 .40 .70	1.00 2.00 2.00 1.25 2.15 2.00	3.00 6.00 3.75 6.00
echinata edulis flexilis jeffreyi maritima montana (mugus)	.80 .35 .40 .45 .35	2.50 1.00 1.20 1.25 .90 1.00	7.50 3.50 3.50 2.75 3.00
" gallica " uncinata monticola nigra (spring delivery)	.70 .50 .65	2.20 1.50 2.00 2.00	6.50 4.50 6.00 6.00
calabarica palustris ponderosa, Giant Pacific Coast race-	1.00	3.00 .85	9.00
Timber strain Rocky Mountain origins scopulorum	•55 •35 •35 •40	1.50 1.00 1.00	4.50 3.00 3.00
radiata strobus sylvestris, Northern Europe, spring only Western Europe taeda	•50 •95 •65	1.30 1.50 3.00 2.00 1.50	3.75 4.50 9.00 6.00 4.50
PITTOSPORUM crassifolium eugenoides tobira PISTACIA chinensis	•55 •45 •45 •65	1.10 1.10 1.10 2.00	4.00
PLATANUS occidentalis "clean orientalis POINCIANA gilliesi	.15 .20 .15	•35 •50 •45 1.50	1.00 1.50 1.25 4.50
PRUNUS americana, Eastern sources, clean "Western "clean armeniaca, clean (Apricot) avium, clean, Mazzard "Sweet Cherry	.20	.50 .45 .15 .30 .20	1.50 1.35 .35 .95
besseyi caroliniana cerasifera (Myrobolan), clean demissa melanocarpa	.35 .15 .20	1.00 .45 .50 .65	3.00 1.25 1.50 2.00
<pre>ilicifolia insititia japonica lyoni (integrifolia) mahaleb, clean maritima</pre>	.25 .25 .50 .25 .20	.65 .60 1.50 .65 .60	2.00 1.75 4.50 2.00 1.75 1.50
nigra, clean pennsylvanica, clean persica (Peach Lovell var.) salicina (triflora) from cultivated	.30 .25	1.00 .65	3.00 2.00 .25
varieties, clean serotina, clean spinosa, clean tomentosa, clean	.15 .25 .35	.35 .40 .65 1.00	1.00 1.25 2.00 3.00
triloba, clean PSEUDOTSUGA douglasi, Rocky Mountain origins Pacific Coast Strain PTELEA trifoliata	.45 1.35 1.65	1.20 4.00 5.00 .50	3.50 12.00 15.00 1.50
QUERCUS rubra (borealis maxima) 100 lbs. 18.00			.25
" ambigua (borealis) 100 lbs. 18.00			.25
palustris 100 lbs. 25.00			.30

.

. .

•

	oz.	1/4 lb.	1b.
RHAMNUS cathartica	.25	.80	2.50
crenata	•75		
dahurica, clean frangula	.70 .25	2.00 .65	6.00 2.00
RHODODENDRON canadensis (Rhodora)	• 6.5		2,00
1/16 oz. 1.25 carolinianum, N. E.			
1/4 oz75	2.25		
catawbiense, N. E.			
1/4 oz. 1.00 compactum, N. E.	3.00		
1/16 oz. 1.25			
" hybrids, N. E. 1/4 oz. 2.50			
fortunei 1/8 oz. 1.25			
maximum, N. E. 1/4 oz50 ponticum 1/4 oz75	1.50 3.00		
RHUS canadensis (aromatica), clean	.25	•75	2.25
copallina cotinus	.25	•60	2.00
glabra	.45 .15	1.35 .35	4.00 1.00
trilobata, clean	.15	.80	2.50
typhina ROSA blanda	.15	•35 •50	1.00 1.50
" clean	.40	1.10	3.35
canina, clean humilis	.25 .20	.60 .50	2.00 1.50
" clean	•75	2.20	6.50
lucida (virginiana) multiflora, thornless	.20 .45	.60 1.20	1.75 3.50
thorny	•55	1.35	4.00
palustris	.30	.80 .80	2.50
rubiginosa, clean rugosa, clean	.30 .25	.70	2.25
setigera, dried hips	.20	•50	1.50
" clean wichuraiana	.60 .30	1.65 .85	5:00 2:50
SAMBUCUS canadensis, clean SAPINDUS drummondi	.25 .20	.60 .50	2.00
SASSAFRAS varifolium	.25	.65	2.00
SEQUOIA gigantea sempervirens	1.25 •55	4.00 1.65	12.00
SHEPHERDIA argentea	•55	1.65	5.00
canadensis SMILAX rotundifolia	•55 •40	1.65 1.10	5.00 3.25
walteri	•50	1.50	
SORBUS americana aucuparia	.30 .15	.80 .45	2.50
STAPHYLEA trifolia	.25	.65	2.00
STYRAX americana SYRINGA amurensis	.25	.65	2.00
henryi (villosa x josikaea)	1.00	2.50 3.00	7.50
japonica	.80	2,50	7.50
josikaea villosa, clean	1.00 .65	2.00	
vulgaris, clean	•45	1.25	3.75
choice French Hybrids, clean	.75	2.00	6.00
TAXODIUM distichum	.20	.50	1.50
TAXUS baccata cuspidata	.35 1.10	1.10 3.50	3.25 10.00
media hicksi	1.00	4.00	
THEA sinensis	•35	.90	2.75
THUJA orientalis " aurea conspicua	•35 •40	1.00 1.20	3.00 3.50
" compacta (sieboldi)			
winter only globosa (winter only)	.45 .55	1.35	4.00 4.50
TILIA americana	.20	.50 .85	1.50
platyphyllos tomentosa >	.30 .30	.85 .85	2.50 2.50
COMOZIO OD CL	•) 0	•0)	. 2.50



	oz.	1/4 lb.	<u>lb.</u>
TSUGA canadensis** caroliniana	1.20	3.35 4.10	10.00
" N. E. heterophylla	1.35	4.10 3.65	12.50 11.00
VACCINIUM corymbosum	.40	1.20	3.50
from large fruited cultivated named varieties	.65	2.00	6.00
VIBURNUM acerifolium americanum " clean	.30 .30 .45	.75 .80 1.35	2.50
cassinoides dentatum " clean	.30	.75 .50 1.50	2.25 1.50 4.50
lantana lentago	.50 .25 .25	•75 •65	2.25
" clean molle	.45 .45 .45	1.35 •75	4.00
opulus, clean pubescens	.45 .35 .20	1.35	4.00
prunifolium "clean	.35	1.10	1.25 3.25
rufidulum "clean	.20	.50 1.10	1.50 3.25
sargenti " clean	.30 .45	.85	2.75 4.25
sieboldi VITEX agnus castus	.60 .30 .30	1.65 •75	2.25
VITIS aestivalis cordifolia	.30	.80 .80 .80	2.50 2.50 2.50
labrusca riparia (odoratissima)	•30 •35	1.00	3.00
WEIGELA Garden Varieties 1/8 oz. 1.00			
XANTHOCERAS sorbifolium 100 seeds 1.85 1000 " 15.00			
ZENOBIA pulverulenta 1/16 oz. 1.85			
MISCELLANEOUS ITEMS			
ASTER spectabilis 1/4 oz. 1.00	3.00		
DICENTRA eximia 1/4 oz60	2.00		
LILIUM auratum, N. E. Tr. Pkt. 1.00 formosanum, late variety, large flowere white selection			
regale 1/4 oz85	3.00	3.35	10.00
LUPINUS, Downers & Russells choice selections 1/4 oz35	1.00		
Russells imported home-grown	.50		
polyphyllus, all colors		.85	2.50
THERMOPSIS caroliniana 1/4 oz35	1.00		
YUCCA glauca 1/4 oz25 gloriosa 1/4 oz25	·75		

ABBREVIATION -- N. E. stands for New England seed - a sign of hardiness.

TERMS: 3% discount for cash with orders, for customers of approved credit 2% 10 days, 30 days net. Please include packing and forwarding charges in your remittance.

e terre de la company de la co

de la companion de la companio

Sunday Arthur

on North Control of the Control of t

4.6021

ne motorio allecard a escavol. 1985 to

Bernson Beiles ist Webyth and Herring gun The Beiles ist

Tes I time to

1947 crops are again disappointing in many ways, Colorado and Pacific Coast failed or are extremely short.

BOOKS

CULTIVATED CONIFERS IN NORTH AMERICA By Dr. L. H. Bailey

404 pages, 48 full page photos, 114 line drawings. Approximately 1000 conifers (species and varieties together) propagation, care, disease, protection \$7.50

SEEDING and PLANTING IN THE PRACTICE OF FORESTRY by I. W. Toumey and C. F. Korsteim

507 pages, 2nd edition. The best book on the subject \$5.65

STANDARDIZED PLANT NAMES

4.20

New second edition. Reference book to 90,000 Common and Scientific names \$10.50

MANUAL of CULTIVATED TREES and SHRUBS By Alfred Rehder

The best reference book available, covering in detail every hardy tree and shrub in cultivation. 996 pages \$10.50

Book prices are postpaid in U.S.A. Terms net cash with order.